



Boundary Stream, Intermittent River/Creek Water Body

**Spencer Reed** P: 9186079859



The information contained herein was obtained from sources deemed to be reliable. Land id<sup>TM</sup> Services makes no warranties or guarantees as to the completeness or accuracy thereof.

## Boundary 136.22 ac

| SOIL CODE | SOIL DESCRIPTION                               | ACRES         | %     | CPI | NCCPI | CAP  |
|-----------|--|---------------|-------|-----|-------|------|
| EIB       | Elrose fine sandy loam, 1 to 3 percent slopes  | 24.63         | 18.08 | 0   | 70    | 2e   |
| TmF       | Trawick and Bub soils, moderately steep        | 22.09         | 16.22 | 0   | 43    | 6e   |
| KmD       | Kirvin complex, graded, 2 to 8 percent slopes  | 16.08         | 11.81 | 0   | 55    | 6e   |
| FuD       | Lilbert loamy fine sand, 3 to 8 percent slopes | 15.54         | 11.41 | 0   | 49    | 3e   |
| EuD       | Betis fine sand, 2 to 8 percent slopes         | 14.81         | 10.87 | 0   | 31    | 3s   |
| DkF       | Darco, Kirvin, and Tenaha soils, sloping       | 11.77         | 8.64  | 0   | 49    | 6e   |
| LaD       | Larue loamy fine sand, 3 to 8 percent slopes   | 11.07         | 8.13  | 0   | 35    | 3e   |
| ChC       | Rentzel fine sand, 0 to 5 percent slopes       | 7.01          | 5.15  | 0   | 37    | 3w   |
| DaD       | Darco fine sand, 1 to 8 percent slopes         | 6.89          | 5.06  | 0   | 40    | 3s   |
| W         | Water  | 6.33          | 4.65  | 0   | -     | 8    |
| TOTALS    |  | 136.2<br>2(*) | 100%  | -   | 46.09 | 4.15 |

(\*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

## **Capability Legend**

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

| Land, Capability |   |   |   |   |   |   |   |   |
|------------------|---|---|---|---|---|---|---|---|
|                  | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| 'Wild Life'      | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ |
| Forestry         | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ |   |
| Limited          | ٠ | • | ٠ | • | ٠ | ٠ | ٠ |   |
| Moderate         | ٠ | ٠ | ٠ | • | ٠ | ٠ |   |   |
| Intense          | ٠ | • | ٠ | • | ٠ |   |   |   |
| Limited          | ٠ | ٠ | ٠ | ٠ |   |   |   |   |
| Moderate         | ٠ | • | • |   |   |   |   |   |
| Intense          | ٠ | ٠ |   |   |   |   |   |   |
| Very Intense     | ٠ |   |   |   |   |   |   |   |
|                  |   |   |   |   |   |   |   |   |

## Grazing Cultivation

(c) climatic limitations (e) susceptibility to erosion

(s) soil limitations within the rooting zone (w) excess of water